

**Vol 69(3) 1-402 (2004)  
Vol 69(4) 403-836 (2004)**

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

**formerly known as**

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Professoren  
Pascal Boeckx  
Peter Bossier  
Guy Smagghe  
Walter Steurbaut  
Els Van Damme  
Erick Vandamme  
Niko Verhoest

**EDITORIAL ADDRESS**

Coupre links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent/>

ISSN 1379-1176

## **Proceedings**

### **56<sup>th</sup> INTERNATIONAL SYMPOSIUM ON CROP PROTECTION**

**Gent, May 4, 2004**

### **III**

#### **PATRONS**

Ministry of the Flemish Community, Department of Education  
Faculty of Agricultural and Applied Biological Sciences  
Fund for Scientific Research - Flanders

BASF Belgium, Brussels, Belgium  
Bayer Crop Science, Brussels, Belgium  
Belchim, Londerzeel, Belgium  
Certis Europe, Brussels, Belgium  
Dow AgroSciences, Wilrijk, Belgium  
Edialux, Bornem, Belgium  
Fytolab, Ghent, Belgium  
ISK Bioscience Europe, Brussels, Belgium  
Janssen Pharmaceutica, Beerse, Belgium  
Koppert, Berkel en Rodenrijs, The Netherlands  
Monsanto Europe, Brussels, Belgium  
Novolab, Geraardsbergen, Belgium  
Syngenta Crop Protection, Ruisbroek, Belgium

**ORGANIZING COMMITTEE**

**HONORARY  
CHAIRMEN**

**D. DEGHEELE (†), W. DEJONCKHEERE  
A. GILLARD, R.H. KIPS (†)  
C. PELERENTS, J. POPPE,  
J. STRYCKERS (†), J. VAN DEN BRANDE  
(†), W. WELVAERT**

**ORGANIZING  
COMMITTEE**

**R. BULCKE (Chairman), P. DE CLERCQ,  
M. HÖFTE, M. MOENS, G. SMAGGHE, W.  
STEURBAUT, L. TIRRY**

**K. DE JONGHE (Secretary-general)  
H. VAN BOST (Assistant-secretary)**

**ADVISORY  
COMMITTEE**

**A. CALUS, P. CORNELIS, P. DEBERGH,  
W. DE COEN, J. COOSEMANS, A. DE  
LOOF, H. KEYMEULEN, E. PRINSEN, E.  
VANDAMME, H. VAN LANGENHOVE, C.  
VERHEYDEN, R. VERSCHOORE, W.  
VERSTRAETE, E. VOLCKAERT**

**V**

## **SECTIONS**

### Chairmen

- M.L. GULLINO**, Grugliasco, Italy  
**G. HAESAERT**, Ghent, Belgium  
**M.H. JIJAKLI**, Gembloux, Belgium  
**A. LEGERE**, Québec, Canada  
**M. MOLENDIJK**, Lelystad, The Netherlands  
**A.K. MOURAD**, Alexandria, Egypt  
**U. WYSS**, Kiel, Germany

### Vice-chairmen

- R-U. EHLERS**, Raisdorf, Germany  
**B. HEREMANS**, Merelbeke, Belgium  
**P. JAEKEN**, Sint-Truiden, Belgium  
**J-P. JANSEN**, Gembloux, Belgium  
**M. MAES**, Merelbeke, Belgium  
**V. ZADOROZHNY**, Vinnitsa, Ukraine

**CONTENTS Vol 69(3) 1-402 (2004)**

<b>Plenary session</b>	1
<b>S.R. Moss</b>	
Herbicide-resistant weeds in Europe: the wider implications	3
<b>F.A. Macias, J.M.G. Molinilla, A. Oliveros-Bastidas, D. Marin &amp; D. Chinchilla</b>	
Allelopathy. A natural strategy for weed control	13
<b>Section 1 – Herbology</b>	25
<b>P. Saska</b>	
Carabid larvae as predators of weed seeds: granivory in larvae of <i>Amara eurynota</i> (Coleoptera: Carabidae)	27
<b>R. Santiago, F. Martin-Laurent, R. De Prado &amp; A.R. Franco</b>	
Isolation of simazine-degrading bacterial consortia from olive fields of Andalucia	35
<b>L. Maeghe, E.M. Desmet &amp; R. Bulcke</b>	
Soil activity and persistence of sulcotrione and mesotrione	41
<b>S.J. Zad &amp; Z. Hossieny</b>	
Effect of synthetic combinations and tobacco root extract and the mixture of them on broomrape seed germination	49
<b>G. Kazinczi, J. Horvath, A.P. Takacs, R. Gaborjanyi &amp; I. Beres</b>	
Experimental and natural weed host-virus relations	53
<b>J. Menendez &amp; F. Bastida</b>	
Use of adjuvant-enhanced formulations to increase bipyridylium-herbicide effectiveness	61
<b>F. Bastida &amp; J. Menendez</b>	
Germination requirements and dispersal timing in two heterocarpic weedy Asteraceae	67
<b>M.J. Martinez, K. Farsaoui &amp; R. De Prado</b>	
Weed control and persistance of two oxyfluorfen formulations in olive groves under non tillage conditions	77
<b>E.M. Desmet, R. Bulcke &amp; L. Maeghe</b>	
Field experiences with recent ALS-inhibitors on herbicide resistant blackgrass ( <i>Alopecurus myosuroides</i> Huds.)	83
<b>J.P. Ruiz-Santaella, Y. Bakkali, M.D. Osuna &amp; R. De Prado</b>	

## VII

Evaluation of resistance in <i>Cyperus difformis</i> populations to ALS inhibiting herbicides	91
<b>J.L. De Prado, M.D. Osuna &amp; R. De Prado</b>	
Cross resistance to ACCase herbicide in <i>Lolium rigidum</i>	97
<b>M. Vissers &amp; M.C. Van Labeke</b>	
Evaluation of herbicide combinations for livid amaranth ( <i>Amaranthus blitum</i> ) control in tuberous begonia ( <i>Begonia x tuberhybrida</i> )	103
<b>Section 2 – Insecticides and Acaricides</b>	109
<b>J. Takacs, P. Balogh, J. Kutas, M. Nadasy &amp; A. Takacs</b>	
Effective control method of larvae of <i>Diabrotica virgifera virgifera</i> Leconte	111
<b>A.K. Mourad, A.S. Saad, M.M. Esawy &amp; Samah M. Hassan</b>	
Influence of the nonsteroidal ecdysone agonist, tebufenozone on certain biological and physiological parameters of the cotton leaf-worm <i>Spodoptera littoralis</i> (Boisd.) (Noctuidae: Lepidoptera) in Egypt	119
<b>J. Narkiewicz Jodki, B. Nawrocka &amp; J. Swietoslawski</b>	
Effectiveness of ProAgro 100 SL (Imidacloprid) in the control of glasshouse whitefly ( <i>Trialeurodes vaporariorum</i> ) and western flower thrips ( <i>Frankliniella occidentalis</i> ) on tomato under cover	141
<b>L.S. Ngama Tinkeu, A. Goudoum, M.B. Ngassoum, P.P. Mapongmetsem, H. Kouninki &amp; T. Hance</b>	
Persistence of the insecticidal activity of five essential oils on the maize weevil <i>Sitophilus zeamais</i> (Motsch.) (Coleoptera: Curculionidae)	145
<b>Section 3 – Agricultural Entomology &amp; IPM</b>	149
<b>J-P. Jansen &amp; A-M Warnier</b>	
Aphid specific predators in potato in Belgium	151
<b>A. Van der Linden</b>	
<i>Amblyseius andersoni</i> Chant (Acari: Phytoseiidae), a successful predatory mite on <i>Rosa</i> spp.	157
<b>A.R. Bandani</b>	
Effect of entomopathogenic fungus <i>Tolypocladium</i> species metabolite, efrapeptin on <i>Galleria mellonella</i> agglutinin	165
<b>L. Hautier, J-P. Jansen, B. Schiffers, R. Deleu &amp; C. Moreira</b>	
Drawing-up of pesticide selectivity lists of beneficial arthropods for IPM programmes in potato	171
<b>R. Ramirez-Romero, J.S. Bernal, J. Chaufaux, P. Gillogly &amp; L. Kaiser</b>	

## VIII

Cry1Ab protoxin effects on <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) and its parasitoid <i>Cotesia marginiventris</i> (Hymenoptera: Braconidae)	183
<b>A. Ashouri</b>	
Transgenic-Bt potato plant resistance to the colorado potato beetle affect the aphid parasitoid <i>Aphidius nigripes</i>	185
<b>J-L. Hofs, At Schoeman &amp; M. Vaissayre</b>	
Effect of Bt cotton on arthropod biodiversity in South African cotton fields	191
<b>S. Lerche, U. Meyer, H. Sermann &amp; C. Buettner</b>	
Dissemination of the entomopathogenic fungus <i>Verticillium lecanii</i> (Zimmermann) Viégas (Hyphomycetales: Moniliaceae) in a population of <i>Frankliniella occidentalis</i> (Pergande, 1895) (Thysanoptera: Thripidae)	195
<b>L.B. Ahmadi, H. Askary &amp; A. Ashouri</b>	
Preliminary evaluation of the effectiveness of a <i>Verticillium lecanii</i> isolate in the control of <i>Thrips tabaci</i> (Thysanoptera: Thripidae)	201
<b>A. Ashouri, N. Arzani, H. Askary &amp; G-R. Rasoulian</b>	
Pathogenicity of the fungus, <i>Verticillium lecanii</i> , to the green peach aphid, <i>Myzus persicae</i> (Hom.: Aphididae)	205
<b>M. Bounechada &amp; S.E. Doumandji</b>	
Effect of <i>Ocneridia volxemi</i> Bolivar (Pamphaginae, Orthoptera) hoppers and adults by <i>Beauveria bassiana</i> (Deuteromycotina, Hyphomycetes) conidia in an oil formulation	211
<b>M.E. Zayed &amp; A.S. Bream</b>	
Bioassay of some Egyptian isolates of <i>Bacillus thuringiensis</i> against <i>Culex pipiens</i> (Diptera: Culicidae)	219
<b>M.E. Zayed &amp; A.S. Bream</b>	
Biodiversity of the microbial flora associated with two strains of <i>Culex pipiens</i> (Diptera: Culicidae)	229
<b>M. Bounechada, S.E. Doumandji &amp; H. Laouer</b>	
Laboratory evaluation of <i>Melia azedarach</i> L. and <i>Eucalyptus globulus</i> Labill. Extracts in order to control <i>Ocneridia volxemi</i> Bolivar (Orthoptera, Pamphaginae) hoppers	235
<b>N. Zapata, P. Medina &amp; F. Budia</b>	
Antifeedant activity of <i>Cestrum parqui</i> and <i>Drimys winteri</i> on <i>Spodoptera littoralis</i> (Lepidoptera: noctuidae)	245
<b>M. Hami, F. Taibi &amp; N. Soltani-Mazouni</b>	

**IX**

Effects of flucycloxuron, a chitin synthesis inhibitor on reproductive events and thickness of chorion in mealworms	249
<b>A. Maiza, S. Kilani, J-P. Farine, G. Smagghe, N. Aribi &amp; N. Soltani</b> Reproductive effects in German cockroaches by ecdysteroid agonist RH-0345, juvenile hormone analogue methoprene and carbamate benfuracarb	257
<b>S. Trdan, N. Valic, A. Bogataj &amp; D. Znidarcic</b> Investigation on the optimal term of one-fold insecticide application for decreasing onion thrips ( <i>Thrips tabaci</i> Lindeman, Thysanoptera, Thripidae) damage on early white cabbage	267
<b>A. Ashouri</b> Seasonal occurrence and relative abundance of aphids on potato plants with classical and transgenic characters of resistance to Colorado potato beetle <i>Leptinotarsa decemlineata</i> (Say)	273
<b>J. Kutas, M. Kondrak, B. Szenthe, A. Patthy, Z. Banfalvi, M. Nadasy, L. Graf &amp; B. Asboth</b> Colorado potato beetle larvae on potato plants expressing a locust proteinase inhibitor	281
<b>H. Casteels, J. Witters, G. De Bondt, S. Devlieghere &amp; H. Van Eester</b> First report of the western corn rootworm <i>Diabrotica virgifera</i> in Belgium	289
<b>A.K. Mourad, S.A. Hammad, G.Z. Guirguis, O.A. Zaghloul &amp; Hanan A. Sadek</b> Action of some micronutrients on the infestation and yield components of faba bean by the aphid <i>Aphis craccivora</i> Koch (Aphididae, Homoptera) and the leaf miner <i>Liriomyza trifolii</i> (Burgess) (Agromyzidae, Diptera)	291
<b>P. Balogh, J. Takacs, M. Nadasy, A. Takacs &amp; J. Kutas</b> The ecological study of cotton bollworm ( <i>Helicoverpa armigera</i> Hübner 1808) in Hungary	305
<b>I. Mewis &amp; Ch. Ulrichs</b> Plant wounding affects the oviposition of <i>Hellula undalis</i> (F.). The impact of leaf chemistry	311
<b>Ch. Ulrichs &amp; I. Mewis</b> Seasonal abundance of two armyworm species, <i>Spodoptera exigua</i> (Hübner) and <i>Spodoptera litura</i> (F.) in the Philippines	323
<b>Gh. Reza Rassoulian, M. Naiimi &amp; Kh. Talebi</b> Rearing of the cucurbit fly <i>Dacus ciliatus</i> Loew (Dipt: Tephritidae) on artificial diet under laboratory conditions	329

X

<b>K. Vig &amp; V. Marko</b> Species composition of leaf beetle assemblages in the canopies of apple and pear orchards in Hungary and Great Britain (Coleoptera: Chrysomelidae)	335
<b>J. Witters, F. Goossens, G. De Bondt &amp; H. Casteels</b> First report of <i>Eotetranychus fagi</i> in Belgium	343
<b>Section 4 – Nematology</b>	345
<b>L. Wenneman, C.H. Shanks &amp; K.A. Smith</b> Movement of entomopathogenic nematodes in soils of <i>Fragaria</i> spp.	347
<b>A. Schmitz, S. Kiewnick, J. Schlang &amp; R.A. Sikora</b> Use of high resolution digital thermography to detect <i>Heterodera schachtii</i> infestation in sugar beets	359
<b>A. Mendoza, R.A. Sikora &amp; S. Kiewnick</b> Efficacy of <i>Paecilomyces lilacinus</i> (Strain 251) for the control of <i>Radopholus similis</i> in banana	365
<b>S. Kiewnick &amp; R.A. Sikora</b> Optimizing the efficacy of <i>Paecilomyces lilacinus</i> (Strain 251) for the control of root-knot nematodes	373
<b>T.T. Vu, R.A. Sikora &amp; R. Hauschild</b> Effects of endophytic <i>Fusarium oxysporum</i> towards <i>Radopholus similis</i> activity in absence of banana	381
<b>E. Shokoohi, A. Kheiri, H.R. Etebarian &amp; A. Roostaei</b> Interactions between root-knot nematode <i>Meloidogyne javanica</i> and Fusarium wilt disease, <i>Fusarium oxysporum</i> f.sp. <i>melonis</i> in different varieties of melon	387
<b>G.H. Fathi, H. Eshtiaghi, A. Kheiri &amp; M. Okhovat</b> Effect of tea dust residues to control root-knot nematode on tomato	393
<b>N. Ebrahimi, A. Kheiri &amp; M. Pakniat</b> Occurrence of plant parasitic nematodes (Tylenchina) in sugar beet fields in Fars province, Iran	397

**CONTENTS Vol 69(4) 403-836 (2004)**

<b>Section 5 - Plant Diseases</b>	403
<b>M.L. Gullino, G. Gilardi &amp; A. Garibaldi</b> New Fusarium wilts on vegetable crops in Italy	405
<b>M. Wenneker, B. Heijne, L.T. Tjou-Tam-Sin, A.S. Van Bruggen &amp; P. Vink</b> Dead flower buds of peart: effect of tree growth control and <i>Alternaria alternata</i> as causal agent	415
<b>B. Heremans &amp; G. Haesaert</b> Diversity of the <i>Phytophthora infestans</i> population in Flanders, Belgium	421
<b>S. Roussel, J. Kummert, O. Dutrecq, P. Lepoivre &amp; M.H. Jijakli</b> Development of molecular tests for the detection of ILAR and latent viruses in fruit trees	427
<b>S.J. Sanei, S.M. Okhovat, Gh.A. Hedjaroude, H. Saremi &amp; M. Javan-Nikkhah</b> Olive <i>Verticillium</i> wilt or dieback of olive in Iran	433
<b>D. Harzallah, S. Sadallah &amp; L. Larous</b> Characterization of <i>Pseudomonas</i> pathovars isolated from rosaceous fruit trees in east Algeria	443
<b>S. Isebaert, R. Devreese, P. Maene, D. Fremaut, G. Vlaemynck &amp; G. Haesaert</b> Differences in susceptibility of winter wheat varieties for <i>Fusarium</i> species under Belgian growing conditions	449
<b>G.G. Feige, N. Ale-Agha, M. Jensen, B. Christiaans &amp; R. Bulcke</b> New, rare or remarkable microfungi in the Italian alps (Carnic alps) - Part I - Ascomycotina	457
<b>N. Ale-Agha, G.B. Feige, M. Jensen, B. Christiaans, M. Brassmann &amp; R. Kricke</b> New, rare or remarkable microfungi in the Italian alps (Carnic alps) - Part II - Other microfungi	467
<b>G.B. Feige &amp; N. Ale-Agha</b> Mycodiversity on a dead stem of the giant hogweed - <i>Heracleum mantegazzianum</i> Sommer et Levier	479
<b>N. Ale-Agha, G.B. Feige, B. Christiaans, M. Braßmann &amp; S. Balakirew</b> New and remarkable microfungi in North Rhine Westphalia, Germany	489

**XII**

<b>R. Csorba, E.F. Kiss &amp; I. Molnar</b>	
Reactions of some cucurbitaceous species to Zucchini Yellow Mosaic virus (ZYMV)	499
<b>S. Hosseini-Farhangi, G. Mossahebi, M. Koohi-Habibi &amp; S.M. Okhovvat</b>	
Occurrence, distribution and relative incidence of mosaic viruses infecting field - grown squash in Tehran province, Iran	507
<b>P. Soleimani, G.H. Mossahebi, M. Koohi-Habibi, J. Zad &amp; S. Hosseini-Farhangi</b>	
Occurrence and distribution of lettuce mosaic disease in Tehran province from Iran	513
<b>P. Soleimani, G.H. Mossahebi, M. Koohi-Habibi, J. Zad &amp; S. Hosseini-Farhangi</b>	
Biological and molecular characterization of Lettuce Mosaic Virus from Tehran province in Iran	519
<b>H. Saremi &amp; S.M. Okhovat</b>	
The occurrence of root rot and crown rot of rice in Gilan and Zanjan provinces, Iran	525
<b>S.J. Sanei, S.M. Okhovat, A.Gh. Ebrahimi &amp; M. Mohammadi</b>	
Influence of inoculum density of <i>Verticillium dahliae</i> , temperature and relative humidity on epidemics of <i>Verticillium</i> wilt of cotton in Northern Iran	531
<b>R. Hemmati, M. Javan-Nikkhah, Gh.A. Hedjaroude, S.M. Okhovat &amp; S. Moosanejad</b>	
Fertility status and distribution of mating type alleles of the rice blast fungus, <i>Magnaporthe grisea</i> in Northern Iran	537
<b>S. Saberi-Riseh, M. Javan-Nikkhah, R. Heidarian, S. Hosseini &amp; P. Soleimani</b>	
Detection of fungal infectious agent of wheat grains in store-pits of Markazi province, Iran	541
<b>A.H. Jamali-Zavareh, A. Sharifi-Tehrani &amp; M. Mahammadi</b>	
Changes in specific activities of peroxidase, chitinase and phenylalanine ammonia-lyase and phenolic content in cucumber leaves inoculated with <i>Podosphaera fusca</i> , the causal agent of powdery mildew	545
<b>A.H. Jamali-Zavareh, A. Sharifi-Tehrani &amp; M. Mohammadi</b>	
Effects of acibenzolar-S-methyl on the specific activities of peroxidase, chitinase and phenylalanine ammonia-lyase and phenolic content of host leaves in cucumber-powdery mildew interaction	555
<b>G. Cargnello, G. Spera, G. Persuric &amp; M. Simonetta</b>	
Model for total evaluation of a phytosanitary intervention in the context of new methodology of "Great Chain"	565

**XIII**

<b>G. Spera, G. Cargnello, S. Moretti &amp; L. Pezza</b> Total, technical, economic and social evaluation of a plan for defense of the vineyard according to the methodology of the "Great Chain"	569
<b>A. Crescenzi, S. Comes, C. Napoli, A. Fanigliulo, R. Pacella &amp; G.P. Accotto</b> Severe outbreaks of tomato yellow leaf curl Sardinia virus in Calabria, Southern Italy	575
<b>K.A. Mozhaeva, L. Domier, T.B. Kastalyeva, P.F. Magurov &amp; I.N. Yakovleva</b> Evaluation of oat cultivars and lines under infection with barley yellow dwarf virus	581
<b>Section 6 - Biological and Integrated Control</b>	<b>589</b>
<b>S. Bovev, K. Willekens, G. Goeminne, T. Desmet, G. Van Driessche, M. ClaeysSENS, J. Van Beeumen, E. Messens &amp; M. Maes</b> Resistance to air-borne diseases and pests induced by compost in substrate cultivation of strawberry	591
<b>S. Massart, M. Luna-Guarda &amp; M.H. Jijakli</b> In situ development and application of cDNA-AFLP (strain O) poten- tially involved in antagonistic properties against <i>Botrytis cinerea</i>	595
<b>R. Lahlali, M.N. Serrhini &amp; M.H. Jijakli</b> Efficacy assessment of <i>Candida oleophila</i> (strain O) and <i>Pichia anomala</i> (strain K) against major postharvest diseases of citrus fruits in Morocco	601
<b>H. BenkortebY, L. Melkliche &amp; Z. Bouznad</b> Results of screening greenhouse and 'in vitro' behaviour to evaluate some durum wheat varieties and their F5 descendants selected in Al- geria for resistance to <i>Septoria tritici</i>	611
<b>H. Laouer, M.M. Zerroug, A.N. Chaker &amp; H. Bouzerzour</b> Study of the effect of <i>Ammoides pusilla</i> (Brot.) Breist, essential oil against <i>Pseudomonas</i> sp.	619
<b>M.M. Zerroug, Z. Bouznad, L. Larous &amp; R.N. Strange</b> The effect of solanapyrone A produced by <i>Ascochyta rabiei</i> on seed germination and the elongation of radicles and hypocotyls of chickpea ( <i>Cicer arietinum</i> L.)	625
<b>S. Gielen, R. Aerts &amp; B. Seels</b> Biocontrol agents of <i>Botrytis cinerea</i> tested in climate chambers by making artificial infection on tomato leafs	631

**XIV**

<b>S. Gielen, R. Aerts &amp; B. Seels</b> Different products for biological control of <i>Botrytis cinerea</i> examined on wounded stem tissue of tomato plants	641
<b>F. Jamali, A. Sharifi-Tehrani, M. Okhovvat, Z. Zakeri &amp; R. Saberi-Riseh</b> Biological control of chickpea <i>Fusarium</i> wilt by antagonistic bacteria under greenhouse conditions	649
<b>R. Saberi-Riseh, B. Jhajieghari, H. Rouhani &amp; A. Sharifi-Tehrani</b> Effects of inoculum density and substrate type on saprophytic survival of <i>Phytophthora drechsleri</i> , the causal agent of gummosis (Crown and root rot) on pistachio in Rafsanjan, Iran	653
<b>A. Sharifi-Tehrani, R. Saberi-Riseh &amp; R. Heidarian</b> Antagonistic effects of several bacteria on <i>Fusarium oxysporum</i> , the causal agent of root and crown rot of onion under field condition	657
<b>H. Younesi, S.M. Okhovvat, Gh.A. Hedjaroude, S.J. Zad &amp; A.R. Taleei</b> Evaluation of chickpea resistance against some isolates of <i>Asochyta rabiei</i> , the causal agent of Ascochyta blight	663
<b>M. Amanzadeh, S.M. Okhovvat, A. Moumeni, M. Javan-Nikkhah &amp; V. Khosravi</b> The assessment of the rice cultivars/lines resistance to blast disease in Mazandaran province, Iran	667
<b>A. La Torre, G. Spera &amp; D. Lolletti</b> Activity of natural products against courgette powdery mildew	671
<b>G. Spera, S. Moretti &amp; G. Casadei</b> Repercussion of the phytosanitary treatments on various models of foliage management in a cabernet sauvignon vineyard (I note)	679
<b>L.B. Orlikowski</b> Biological control of <i>Phytophthora ramorum</i> on Rhododendron	687
<b>J. Nawrocki &amp; S. Mazur</b> Effectiveness of some means using against root rot on parsley seedling root	693
<b>A.T. Wojdyla &amp; D. Jankiewicz</b> Oils activity against <i>Melampsora epitea</i> on willow	697
<b>A.T. Wojdyla</b> Chitosan (Biochikol 020 PC) in the control of some ornamental foliage diseases	705

<b>Section 7 - Ecotoxicology &amp; Residues</b>	<b>717</b>
<b>P. Spanoghe, A. Maes &amp; W. Steurbaut</b>	
Limitation of point source pesticide pollution: results of bioremediation system	719
<b>V. Caffarelli, E. Conte, A. Correnti, R. Gatti, F. Musmeci, G. Morali, G. Spagnoli, G. Tranfo, L. Triolo, M. Vita &amp; G. Zappa</b>	
Pesticides re-entry dermal exposure of workers in greenhouses	733
<b>K. Hauke, P. Creemers, W. Brugmans &amp; S. Van Laer</b>	
Signum, a new fungicide with interesting properties in resistance management of fungal diseases in strawberries	743
<b>G. Haesaert, V. Derycke, B. Deroo &amp; J. Latré</b>	
Effect of different chemical and mechanical defoliation methods on the skin quality of potatoes	757
<b>M. Baudoux, D. Snelder &amp; G. De Snoo</b>	
Pesticides in the Cagayan valley (Philippines): usage, drift patterns and the exposure of farmers differing in income and market access	765
<b>M.E. Zayed</b>	
Identification of two fungicide degrading <i>Pseudomonas</i> species by gas chromatography of cellular fatty acids	779
<b>E.I. Rabea, M.E.I. Badawy, W. Steurbaut, T.M. Rogge, C.V. Stevens, G. Smaghe &amp; M. Höfte</b>	
Fungicidal activity of new N-alkyl and N-aryl chitosan derivatives	789
<b>M.E.I. Badawy, E.I. Rabea, W. Steurbaut, T.M. Rogge, C.V. Stevens, G. Smaghe &amp; M. Höfte</b>	
Insecticidal and fungicidal activity of new N,O-acyl chitosan derivatives	793
<b>K. Talebi &amp; M.R. Ghassami</b>	
Residues of profenofos in spring onion	799
<b>M. Keseru, P. Budai, L. Varnagy, R. Szabo, E. Juhasz, G. Babinszky &amp; A. Pongracz</b>	
Teratogenicity study of some pesticides in chicken embryos	803
<b>P. Budai, L. Varnagy, S. Fejes, I.M. Somlyay, K. Linczmayer &amp; A. Pongracz</b>	
Irritative effects of some pesticides and a technical component on tissue structure of the chorioallantoic membrane	807

**XVI**

- R. Szabo, M. Keseru, S. Fejes, P. Budai, E. Johasz & A. Pongracz**  
Toxicity of a dichlorvos containing insecticide formulation and an atrazine containing herbicide formulation in chicken embryos after individual administration 811
- J. Menendez & F. Bastida**  
The correlation of the spraying volume with herbicide adherence and herbicide penetration in glyphosate treatments 815
- S. Dahama, N. Sekfali & C.H. Walker**  
Biochemical indicators of hepatotoxic effects of pesticides 821
- E. Brusselman, K. Van Driesen, W. Steurbaut, D. Gabriels, W. Cornelis, D. Nuyttens, B. Sonck, K. Baetens, B. Nicolai, P. Verboven & H. Ramon**  
Wind tunnel evaluation of several tracer and collection techniques for the measurement of spray drift 829